

SECTION 1: Identification

Product identifier 1.1

| 1.5 | Website Emergency phone number(s) | www.douglasprotech.com |
|-----|-----------------------------------|---|
| | Address | 1500 East Old 210 Highway Liberty, MO 64068 USA |
| | Name | Douglas Production Technologies |
| 1.4 | Supplier's details | |
| | Product name | Five Star Pool |

SECTION 2: Hazard identification

Classification of the substance or mixture 2.1

Not a hazardous substance or mixture.

2.2 GHS label elements, including precautionary statements

Not a hazardous substance or mixture.

Other hazards which do not result in classification 2.3

Not a hazardous substance or mixture.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

Hazardous components

1.64-17-5 Concentration

> 0 - < 10 % (Volume)

SECTION 4: First-aid measures

4.1 **Description of necessary first-aid measures**

| If inhaled | Move to fresh air. If not breathing, give rescue breathing. If breathing is difficult give oxygen. Seek medical attention if breathing is still difficult. |
|-------------------------|--|
| In case of skin contact | Use soap and water to remove from the skin, remove contaminated clothing, clean thoroughly before reuse. |
| In case of eye contact | Flush eyes with water immediately while holding eyelids open. Remove contacts, if worn, after initial flushing and continue flushing for at least 15 minutes. Seek medical attention if irritation persists. |
| If swallowed | If swallowed, get medical attention immediately. DO NOT INDUCE VOMITING. Never give anything by mouth to an unconscious person. |

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.3 Special protective actions for fire-fighters Wear self-contained breathing apparatus and protective suit. Keep containers and surroundings cool with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Remove all sources of ignition. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Do not flush into surface water or sanitary sewer system.

6.3 Methods and materials for containment and cleaning up Wear proper PPE. Stop the source of the release if you are not put at risk. Use non-combustible absorbent material to absorb the spill, use non-sparking tools to consider proper disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure all equipment is electrically grounded before beginning transfer operations. Keep away from heat and sources of ignition.

7.2 Conditions for safe storage, including any incompatibilities Ambient

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1. Ethyl alcohol (Ethanol) (CAS: 64-17-5) PEL (Inhalation): 1000 ppm (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

2. Ethyl alcohol (Ethanol) (CAS: 64-17-5) PEL (Inhalation): 1900 mg/m3 (OSHA) OSHA Annotated Table Z-1, www.osha.gov

3. Ethyl alcohol (Ethanol) (CAS: 64-17-5) PEL (Inhalation): 1000 ppm (Cal/OSHA) OSHA Annotated Table Z-1, www.osha.gov

4. Ethyl alcohol (Ethanol) (CAS: 64-17-5) REL (Inhalation): 1000 ppm (NIOSH) OSHA Annotated Table Z-1, www.osha.gov

8.3 Individual protection measures, such as personal protective equipment (PPE)

Body protection

Eyes: Wear safety goggles or safety glasses to prevent eye contact. Body: Long sleeve shirts, long pants, socks, rubber boots and chemical resistant gloves. Hands: Chemical resistant gloves

Respiratory protection

Wear an approved respirator that provides protection from this product if the airborne concentrations exceed the recommended exposure limits.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

| Appearance/form Odor Odor threshold pH Melting point/freezing point Initial boiling point and boiling range | Liquid Citrus Citrus 8.1-8.5 - 50 °F 370 °F |
|--|--|
| Flash point Evaporation rate | |
| Flammability (solid, gas) Upper/lower flammability limits Upper/lower explosive limits | 20.0 %(V)/4 %(V) |
| Vapor pressure Vapor density Relative density | |
| Solubility(ies) Partition coefficient: n-octanol/water | Complete in water |
| Auto-ignition temperature Decomposition temperature Viscosity Explosive properties Oxidizing properties | ca. 400 °C, 752 °F; ASTM D 2155; |

SECTION 10: Stability and reactivity

10.1 Reactivity

Considered stable under normal ambient temperatures.

10.4 Conditions to avoid

May react with strong acids or strong oxidizing agents, such as chlorates, nitrates or peroxides.

10.6 Hazardous decomposition products

At elevated temperatures one can get aldehydes. If complete combustions oxides of carbon.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

LD50 rabbit: > 2,000 mg/kg; OECD Test Guideline 402 Test substance: Ethanol; (literature value) LD50 rabbit: > 200 - 1,000 mg/kg Test substance: Methanol

Skin corrosion/irritation

(rabbit): OECD Test Guideline 404 Test substance: Ethanol Not irritating, (literature value)

Serious eye damage/irritation (rabbit): OECD Test Guideline 405 Test substance: Ethanol

irritating, (literature value)

Respiratory or skin sensitization

guinea pig: not sensitizing; Maximization Test (literature value)

Germ cell mutagenicity

Type: Ames test; OECD Test Guideline 471 System: Salmonella typhimurium; with and without metabolic activation Result: In vitro tests did not show mutagenic effects. Test substance: Ethanol (literature value)

Carcinogenicity Contains no ingredient listed as a carcinogen

Reproductive toxicity No data available

STOT-single exposure No data available

STOT-repeated exposure No data available

Aspiration hazard No data available

SECTION 12: Ecological information

Toxicity

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)) 96 hours: > 100 mg/l; flow-through test Test substance: Ethanol (literature value) LC50 (Pimephales promelas (fathead minnow)) 96 hours: 29,400 mg/l Test substance: Methanol Toxicity to aquatic invertebrates EC50 (Ceriodaphnia Dubia (water flea)) 48 hours: > 100 mg/l; static test Test substance: Ethanol (literature value) Toxicity to algae EC50 (Chlorella vulgaris) 72 hours: > 100 mg/l; static test; OECD Test Guideline 201 Test substance: Ethanol (literature value) Chronic toxicity to aquatic invertebrates NOEC (Ceriodaphnia Dubia (water flea)) 10 d: 9.6 mg/l; semi-static test Test substance: Ethanol (literature value)

Mobility in soil

No data available.

SECTION 13: Disposal considerations

Disposal of the product

Ethanol D001 - Ignitability (RQ 100 LB). This product has the RCRA characteristic of ignitability. Re-evaluation of the product may be required by the user at the time of disposal, since the product uses, transformations, mixtures, contamination, and spillage may change the classification.

Disposal of contaminated packaging

Dispose of only in accordance with local, state, and federal regulations. Do not contaminate any lakes, streams, ponds, groundwater or soil.

Other disposal recommendations

Empty containers retain product residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Empty drums should be completely drained, triple-rinsed, properly bunged and promptly returned to a drum reconditioner, or properly disposed.

SECTION 14: Transport information

| DOT (US) | | | | |
|----------|-----|--|--|--|
| UN Numbe | er: | | | |
| Class: | | | | |

Packing Group: Proper Shipping Name: Proprietary Antifreeze, NOI, NMFC #45970 Sub 2 Reportable quantity (RQ): Marine pollutant: Poison inhalation hazard:

IMDG

UN Number: Class: Packing Group: EMS Number: Proper Shipping Name:

IATA UN Number: Class: Packing Group: Proper Shipping Name:

SECTION 15: Regulatory information

SECTION 16: Other information

Intended as a heat transfer fluid for closed loop systems. We recommend that you use this product in a manner consistent with the listed use. If your intended use is not consistent with the stated use, please contact your sales or technical service representative.

16.1 Further information/disclaimer

The information is furnished without warranty, representation, inducement, or license of any kind, except that it is accurate to the best of Douglas Production Technologies knowledge. Because use conditions and applicable laws may differ from one location to another and may change with time, Recipient is responsible for determining whether the information is appropriate for recipient's use. Since Douglas Production Technologies has no control over how this information may be ultimately used, all liability is expressly disclaimed and Douglas Production Technologies assumes no liability.