

## Safety Data Sheet Swimming Pool

---

### SECTION 1: Identification

#### 1.1 Product identifier

Product name Swimming Pool

#### 1.4 Supplier's details

Name Douglas Production Technologies  
Address 1500 East OLD 210 Highway  
Liberty, MO 64068-9459  
USA

Telephone 816.781.4250

Website [www.douglasprotech.com](http://www.douglasprotech.com)

1.5 Emergency phone number(s) 816.781.4250

---

### SECTION 2: Hazard identification

#### 2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

#### 2.2 GHS label elements, including precautionary statements

Not a hazardous substance or mixture.

#### 2.3 Other hazards which do not result in classification

Not a hazardous substance or mixture.

---

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Hazardous components

##### 1. 1,2-PROPANEDIOL

Concentration  $\geq 0 - \leq 30$  % (Volume)

Other names / synonyms 1,2-DIHYDROXYPROPANE; 1,2-PROPANEDIOL; 1,2-PROPYLENE GLYCOL; ALPHA-PROPYLENEGLYCOL; DOWFROST; METHYL GLYCOL; METHYLETHYLENE GLYCOL; MONOPROPYLENE GLYCOL; PG 12; PROPANE-1,2-DIOL; PROPANEDIOL,1,2-; PROPYLENE GLYCOL;

# Safety Data Sheet

## Swimming Pool

|                                                        |                                                                                 |
|--------------------------------------------------------|---------------------------------------------------------------------------------|
| CAS no.                                                | PROPYLENE GLYCOL USP; SIRLENE; SOLAR WINTER BAN;<br>TRIMETHYL GLYCOL<br>57-55-6 |
| <b>2. Water</b><br>Concentration                       | > 0 - < 70 %                                                                    |
| <b>3. Pylaklor Detergent Red S504</b><br>Concentration | > 0 - < 0.05 %                                                                  |
| Other names / synonyms                                 | Pylaklor Detergent Red S504                                                     |

---

## SECTION 4: First-aid measures

### 4.1 Description of necessary first-aid measures

|                         |                                                                                                                                                                                                                                                                                                              |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| If inhaled              | At room temperature, exposure to vapor is minimal due to low volatility. Mist may cause irritation of upper respiratory tract (nose and throat).                                                                                                                                                             |
| In case of skin contact | Prolonged contact is essentially nonirritating to skin. Repeated contact may cause flaking and softening of the skin. Wash skin with plenty of water.                                                                                                                                                        |
| In case of eye contact  | May cause slight temporary eye irritation. Corneal injury is unlikely. Flush eyes thoroughly with water for several minutes. Remove contact lenses after the initial 1-2 minutes and continue flushing for several additional minutes. IF effects occur, consult a physician, preferably an ophthalmologist. |
| If swallowed            | No emergency medical treatment necessary. Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.                                                                                                                                                                     |

### 4.3 Indication of immediate medical attention and special treatment needed, if necessary

No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

---

## SECTION 5: Fire-fighting measures

### 5.1 Suitable extinguishing media

Water for or fine spray. Dry chemical fire extinguishers. Carbon dioxide fire extinguishers. Foam. Do not use direct water stream. May spread fire. Alcohol resistant foams (ATC type) are preferred. General purpose synthetic foams (including AFFF) or protein foams may function but will be less effective.

Fire Fighting Procedures: Keep people away. Isolate fire and deny unnecessary entry. Use water spray to cool fire exposed containers and fire affected zone until fire is out and danger of reignition has passed. Fight fire from protected location or safe distance. Consider the use of unmanned hose holders or monitor nozzles. Immediately withdraw all personnel from the area in case of rising sound from venting safety device or discoloration of the container. Burning liquids may be extinguished by dilution with water. Do not use direct water stream. May spread fire. Move container from fire area if this is possible without hazard. Burning liquids may be moved by flushing with water to protect personnel and minimize property damage.

### 5.2 Specific hazards arising from the chemical

Container may rupture from gas generation in a fire situation.

# Safety Data Sheet

## Swimming Pool

### 5.3 Special protective actions for fire-fighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots and gloves). If protective equipment is not available or not used, fight fire from a protected location or safe distance.

#### Further information

During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to: Carbon monoxide. Carbon dioxide.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Keep unnecessary and unprotected personnel from entering the area. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

### 6.2 Environmental precautions

Prevent from entering into soil, ditches, sewers, waterways and/or ground water. See Section 12, Ecological Information.

### 6.3 Methods and materials for containment and cleaning up

Small spills: Absorb with materials such as: Cat litter. Sawdust. Vermiculite. Zorb-all®. Collect in suitable and properly labeled containers. Large spills: Dike area to contain spill. See Section 13, Disposal Considerations, for additional information.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

: No special precautions required. Keep container closed. Spills of these organic materials on hot fibrous insulations may lead to lowering of the Autoignition temperatures possibly resulting in spontaneous combustion. See Section 8, Exposure Control and Personal Protection.

### 7.2 Conditions for safe storage, including any incompatibilities

Do not store in: Galvanized Steel. Opened or unlabeled containers. Store in the following material(s): Carbon steel. Stainless steel. Store in original unopened container. See Section 10 for more specific information. Additional storage and handling information on this product may be obtained by calling your sales or customer service contact.

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### 1. 1,2-PROPANEDIOL (CAS: 57-55-6)

WEL (Inhalation): 10

### 8.3 Individual protection measures, such as personal protective equipment (PPE)

#### Body protection

Eye/Face Protection: Use safety glasses

Skin Protection: Wear clean, body-covering clothing.

Hand Protection: Use gloves chemically resistant to this material when prolonged or frequently repeated contact could occur. Examples of preferred glove barrier materials include: Butyl rubber. Natural rubber (latex). Neoprene. Nitrile/butadiene rubber (nitrile or NBR). Polyethylene. Ethyl vinyl alcohol laminate (EVAL). Polyvinyl alcohol (PVA). Polyvinyl chloride (PVC or vinyl). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other

## Safety Data Sheet

### Swimming Pool

chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier. Ingestion: Use good personal hygiene. Do not consume or store food in work area. Wash hands before smoking or eating.

#### Respiratory protection

Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. In misty atmospheres, use an approved particulate respirator. The following should be effective types of air-purifying respirators: Organic vapor cartridge with a particular pre-filter.

#### Environmental exposure controls

Prevent from entering into soil, ditches, sewers, waterways and/or ground water. See Section 12, Ecological Information.

---

## SECTION 9: Physical and chemical properties

### Information on basic physical and chemical properties

|                                         |                                                                                              |
|-----------------------------------------|----------------------------------------------------------------------------------------------|
| Appearance/form                         | Liquid                                                                                       |
| Odor                                    | Characteristic                                                                               |
| Odor threshold                          | No test data available                                                                       |
| pH                                      | 10 (@ 50%)                                                                                   |
| Melting point/freezing point            | Not applicable to liquids/Supercools                                                         |
| Initial boiling point and boiling range |                                                                                              |
| Flash point                             | 104C 219F Pensky Martins Closed Cup ASTM D93<br>(based on major component), propylene glycol |
| Evaporation rate                        | <0.5 estimated                                                                               |
| Flammability (solid, gas)               | 152°C 306°F                                                                                  |
| Upper/lower flammability limits         | 2.6% volume                                                                                  |
| Upper/lower explosive limits            | 12.5% volume                                                                                 |
| Vapor pressure                          | 2.2 mmHg                                                                                     |
| Vapor density                           | >1.0                                                                                         |
| Relative density                        |                                                                                              |
| Solubility(ies)                         | In water 100%                                                                                |
| Partition coefficient: n-octanol/water  |                                                                                              |
| Auto-ignition temperature               | 371°C 700°F                                                                                  |
| Decomposition temperature               | No test data available                                                                       |
| Viscosity                               | 43.4 cSt @ 20°C                                                                              |
| Explosive properties                    |                                                                                              |
| Oxidizing properties                    |                                                                                              |

---

## SECTION 10: Stability and reactivity

### 10.2 Chemical stability

Stable under recommended storage conditions. See Storage, Section 7. Hygroscopic.

### 10.3 Possibility of hazardous reactions

Will not occur

### 10.4 Conditions to avoid

Exposure to elevated temperatures can cause product to decompose. Generation of gas during decomposition can cause pressure in closed systems. Avoid direct sunlight or ultraviolet sources.

# Safety Data Sheet

## Swimming Pool

### 10.5 Incompatible materials

Avoid contact with: Strong acids. Strong bases. Strong oxidizers.

### 10.6 Hazardous decomposition products

Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Aldehydes. Alcohols. Ethers. Organic acids.

---

## SECTION 11: Toxicological information

### Information on toxicological effects

#### Acute toxicity

LD50, Rat, female 20,000 mg/kg

#### Skin corrosion/irritation

For similar material(s): LD50, Rabbit >20,000 mg/kg

#### Serious eye damage/irritation

May cause slight temporary eye irritation. Corneal injury is unlikely.

#### Respiratory or skin sensitization

Prolonged contact is essentially non irritating to skin. Repeated contact may cause flaking and softening of skin.

#### Carcinogenicity

Similar formulations did not cause cancer in laboratory animals.

#### Reproductive toxicity

For the major component(s): In animal studies, did not interfere with reproduction. In animal studies, did not interfere with fertility.

#### Summary of evaluation of the CMR properties

Developmental Toxicity: For the major component(s): Did not cause birth defects or any other fetal effects in laboratory animals.

Genetic Toxicity: In vitro genetic toxicity studies were negative. For the major component(s): Animal genetic toxicity studies were negative.

---

## SECTION 12: Ecological information

### Toxicity

For the major component(s): Material is practically non-toxic to aquatic organisms on an acute basis (LC50/EC50/EL50/LL50>100 mg/L in the most sensitive species tested).

---

## SECTION 13: Disposal considerations

### Disposal of the product

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator. DOUGLAS PRODUCTS AND PACKAGING HAS NO CONTROL OVER THE MANAGEMENT PRACTICES OR MANUFACTURING PROCESSES OF PARTIES HANDLING OR USING THIS MATERIAL. THE INFORMATION PRESENTED HERE PERTAINS ONLY TO THE PRODUCT AS SHIPPED IN ITS INTENDED CONDITION AS DESCRIBED IN MSDS SECTION: Composition Information. FOR USED & UNCONTAMINATED PRODUCT, the preferred options include sending to a licensed, permitted: Recycler.

## Safety Data Sheet

### Swimming Pool

Reclaimer. Incinerator or other thermal destruction device. As a service to its customers, Douglas Products and Packaging can provide names of information resources to help identify waste management companies and other facilities which recycle, reprocess or manage chemicals or plastics, and that manage used drums.

---

#### SECTION 14: Transport information

**DOT (US)**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

---

#### SECTION 15: Regulatory information

---

#### SECTION 16: Other information

Intended as a heat transfer fluid for closed loop systems. We recommend that you use this product in a manner consistent with the listed use. If your intended use is not consistent with the stated use, please contact your sales or technical service representative.

**16.1 Further information/disclaimer**

The information is furnished without warranty, representation, inducement, or license of any kind, except that it is accurate to the best of Douglas Production Technologies knowledge. Because use conditions and applicable laws may differ from one location to another and may change with time, Recipient is responsible for determining whether the information is appropriate for recipient's use. Since Douglas Production Technologies has no control over how this information may be ultimately used, all liability is expressly disclaimed and Douglas Production Technologies assumes no liability.